




IMAGE DISPLAY

www.imagedisplay.co.uk

sales@imagedisplay.co.uk

Outdoor

Portable display solutions for the great outdoors



Welcome to the Outdoor Brochure...

...an impressive collection of display solutions – perfectly-suited to both indoor and outdoor events. Whether you're looking to promote a sporting event, country show, trade fair or retail display, you'll find all you need to ensure a successful outdoor season! With a broad selection of simple-to-use products including large-format banners, pavement signs, portable flags, sign holders and much more. Robust and weatherproof, these stylish display systems are sure to tick all the boxes and create high-impact promotions for your business!

Contents

Flags	3
Banners	14
Sign boards	20
Café barriers	24
Pedestrian guidance	26
Tents, marquees and counters	28

Key

-  Product comes with economy bag
-  Product can be recycled
-  Product comes with one-year guarantee
-  Product comes with standard fabric or padded bag
-  Product designed in UK/EU
-  New product
-  Product comes with premium-quality padded bag or case
-  Product made in UK/EU
-  Large-format product
-  Economy product
-  Basics product
-  Standard product
-  Premium product



Wind Dancer 5m flag, page 12

Did you know?
With a wide choice of bases and styles, flags are one of the most visual and striking ways of promoting your business outdoors.

Formulate+



UB730-C

- Strong durable flag poles made from 32mm diameter aluminium tube
- Choice of bases to suit most surfaces
- Wind speed free-standing 19-24mph/29-38kph
- Wind Speed if pegged 25-31mph/38-49kph.

Visible graphic area (approx):


Straight: 3.6m - 2400 (h) x 840 (w) mm

Straight: 4.8m - 3600 (h) x 840 (w) mm

Curve: 3.6m - 2400 (h) x 425 (w) mm

Curve: 4.8m - 3600 (h) x 425 (w) mm

Formulate+ and Formulate Lite bases available



Large cross base*: UF-ZMLCB

Square base: UF-ZMLSQ

Weighting ring: UB719-C



Ground spike*: UF-ZMGS

Drive-on car foot: UF-ZMCF5

Concrete base**: UF-ZMCEM

* Only large cross base and ground spike suitable with 4.8m versions.

** Concrete base only suitable on 3.6m versions.

Recommended to use weighting ring with large cross base.



Formulate Lite



UB730-C

- Strong durable flag poles made from 25mm diameter aluminium tube
- Choice of bases to suit most surfaces
- Wind speed free-standing 19-24mph/29-38kph
- Wind Speed if pegged 25-31mph/38-49kph.

Rectangle UF-FLR-R / UF-FLR-M / UF-FLR-L / UF-FLR-XL

Visible graphic area (approx):

2.8m - 1510 (h) x 680 (w) mm

3.5m - 2058 (h) x 990 (w) mm

4.5m - 2900 (h) x 1200 (w) mm

5.0m - 3600 (h) x 1204 (w) mm

Feather UF-FLF-S / UF-FLF-M / UF-FLR-L / UF-FLR-XL

Visible graphic area (approx):

2.8m - 1510 (h) x 680 (w) mm

3.5m - 2058 (h) x 990 (w) mm

4.5m - 2900 (h) x 1200 (w) mm

5.0m - 3600 (h) x 1204 (w) mm

Quill UF-FLQ-S / UF-FLQ-M / UF-FLQ-L / UF-FLQ-XL


Visible graphic area (approx):

2.8m - 1510 (h) x 680 (w) mm

3.5m - 2058 (h) x 990 (w) mm

4.5m - 2900 (h) x 1200 (w) mm

5.0m - 3600 (h) x 1204 (w) mm



Zoom Lite

UF-ZM28 / UF-ZM34 / UF-ZM45 / UF-ZM56

- Black aluminium and fibre pole
- Flexible flag system designed to give you a choice of pole sizes from 2m to 5.6m
- Four flag shapes - Quill, Crest, Feather and Edge*
- Multiple bases to suit most surfaces
- Wind speed 13 -18 mph/21-29kph.

ONE YEAR

Zoom+

UF-ZMFS-S / UF-ZMFS-M / UF-ZMFS-L / UF-ZMFS-XL

- All the great features of the Zoom Lite, but with a silver-finish, "all-fibre" pole.

ONE YEAR

NEW



Optional carry bags: 2.8/3.4m - AB-ZMS
4.8/5.6m - AB-ZML



Optional base bag: AB108



Edge

Visible graphic area (approx):



Feather

Visible graphic area (approx):



Crest

Visible graphic area (approx):



Quill


Visible graphic area (approx):

	Visible graphic area (approx):	Visible graphic area (approx):	Visible graphic area (approx):	Visible graphic area (approx):
Mini (approx 2m Zoom Lite only)				1.5m: 1116 (h) x 366 (w) mm
Small (approx 2.8m)	1.3m: 1300 (h) x 865 (w) mm	2.8m: 2000 (h) x 550 (w) mm	2.8m: 1900 (h) x 500 (w) mm	2.8m: 1510 (h) x 680 (w) mm
Medium (approx 3.4m)	2.3m: 2300 (h) x 865 (w) mm	3.4m: 2600 (h) x 600 (w) mm	3.4m: 2600 (h) x 600 (w) mm	3.4m: 2058 (h) x 990 (w) mm
Large (approx 4.5m)	3.3m: 3300 (h) x 865 (w) mm	4.5m: 3400 (h) x 796 (w) mm	4.5m: 3400 (h) x 785 (w) mm	4.5m: 2900 (h) x 1200 (w) mm
Extra-Large (approx 5.6m Zoom Lite only)	4.3m: 4300 (h) x 850 (w) mm	5.6m: 3900 (h) x 850 (w) mm	5.6m: 3900 (h) x 850 (w) mm	5.6m: 3600 (h) x 1204 (w) mm

Zoom Lite and Zoom+ base options



Small cross base**:
UF-ZMSCB



Large cross base*:
UF-ZMLCB



Weighting ring*:
UB719-C



Drive-on car foot*:
UF-ZMCFCS



Ground stake**:
UF-ZMPSS



Ground spike*:
UF-ZMGS



Wall mounting base**:
UF-ZMWMF




Water base with feet*:
UF-ZMRMB



Outdoor water base**:
UF-ZMGMB



Concrete base***:
UF-ZMCEM



Square base*:
UF-ZMLSQ

How to care for your flag.

- 1 Life expectancy is entirely dependent on the climatic conditions and hours of flying. Realistic maximum lifespan of a flag used regularly is approximately six months. If any edges of the flag become frayed then trim, reinforce and re-hem to extend its life.
- 2 Flags can be washed in a regular washing machine on a 30°C wash with everyday detergents. Always allow your flag to completely dry out before storing.
- 3 Consider where you position your flag as air pollution will cause the white areas to become grey and UV can, over time, cause deterioration and fading to the fabric.
- 4 Dismantle your flag during adverse weather conditions, including strong winds. Heavy rain combined with high winds can increase the weight of the flag and put extra strain onto the pole.
- 5 Ensure that your flag doesn't catch or snag on its pole or any other surrounding objects. Do not place poles too close together.

* Suitable for use with all versions.
** Suitable for use with 2.8m and 3.4m versions.
*** Suitable for use with 2.8m and 3.4m versions, or if pegged down can be used with all versions.



XXL Zoom Grande



UB730-C

- Tough telescopic pole for adjustable height up to approx. 5.8m high
- Choice of bases to suit most surfaces
- Suitable for both Quill and Feather shaped lightweight fabric graphics
- Wind speed 13-18 mph/21-29kph.

Maximum visible graphic area (approx):

Quill: 4502 (h) x 1400 (w) mm

Feather: 4600 (h) x 1050 (w) mm

Zoom Grande base options



Zoom Aqua



UB116

- Kit includes anchor to keep in position in water, tether rope to retrieve flag from water, galvanised-steel counter weight, pole and base
- Pole constructed using the tough Zoom Grande design
- For use in rivers, ponds and lakes with a minimum water depth of 1.2m and maximum 3.4m
- Exclusive design.

Total hardware dimensions (approx):

Zoom Aqua Feather 3700 (h) x 785 (w) mm

Zoom Aqua Quill 3200 (h) x 1155 (w) mm

Visible graphic area (approx):


Zoom Aqua Feather: 2600 (h) x 600 (w) mm

Zoom Aqua Quill: 2126 (h) x 908 (w) mm





Counter weight and anchor





Did you know?
The Double-Sided Mistral can also be used on central reservations, allowing you to capture two-way traffic.



A Double-Sided Mistral

ONE YEAR

UB725-D

- Mount graphics on lamp posts using both sides of your post
- Brackets can be moved for adjustable graphic height using fabric or vinyl
- Made from weatherproof aluminium castings and GRP tubes.

Visible graphic area (approx):

2000 (h) x 800 (w) mm

B Rotating Mistral

ONE YEAR

UB725-R

- Mounted to posts or walls on an extended arm, allowing the graphic to rotate in the wind
- Brackets can be moved for adjustable graphic height
- Suitable for fabric or vinyl graphics.

Visible graphic area (approx):

1500 (h) x 800 (w) mm

C Mistral

ONE YEAR

UB725


- Display your message from lamp posts or walls
- Brackets can be moved for adjustable graphic height using fabric or vinyl
- Made from weatherproof aluminium castings and GRP tubes.

Visible graphic area (approx):

2000 (h) x 800 (w) m

Top tip!

We strongly recommend wind-slits for continuous use in all weather conditions. Wind-slits depower banner flags.





Top tip!
The Wind Dancer is one of the biggest flags available – giving you up to 5m height of great exposure.




Wind Dancer Bag 4m: AB212-C
Wind Dancer Bag 5m: UB716-C



Concrete Base: UF-ZMCEM

Water/sand-filled base



A Wind Dancer
WD104 (4m) / WD105 (5m)



- 4m or 5m high telescopic flagpole
- The base unit can be filled with water or sand for extra stability
- Portable and lightweight with eyelet fixings for graphics
- Wind speed 13 -18 mph/21-29kph.

Visible graphic area (approx):	Optional bag:
4m: 2800 (h) x 800 (w) mm	AB212-C
5m: 2800 (h) x 800 (w) mm	UB716-C

B Shimmer
WD102



- Outdoor/indoor flagpole with hollow base for sand or water-weighting
- Plastic, easy push-fit assembly with adjustable height; black pole and base
- Suitable for lightweight flag-knit graphic
- Quality construction based on Zoom Grande design
- Optional concrete base available (UF-ZMCEM).

Total hardware dimensions (approx):	Visible graphic area (approx):
2560 (h) x 800 (w) mm	1800 (h) x 550 (w) mm

C Eco
WD101



- Economy 2.9m flagpole with plastic easy push-fit assembly
- Suitable for lightweight flag textile fabric
- 8 litre capacity base
- White adjustable pole with white base.

Total hardware dimensions (approx):	Visible graphic area (approx):
2940 (h) x 840 (w) mm	1800 (h) x 550 (w) mm
Base: 350mm (diameter)	




Hurricane 2 banner, page 16



Sprung, three-part, heavy-duty bungee pole




Twist-lock feet



Wide feet for stability, with anchor hole



Pegs for secure ground-fixing included



Durable, waterproof design

A double-sided retractable outdoor banner, Thunder is the ideal roller banner for outdoor use being strong and durable yet very easy to assemble and transport. At 2m high, Thunder will display your message on both sides for maximum viewing impact.

Thunder 2



850mm (w): UB185-850


- 2m high double-sided retractable banner
- Large twin feet and strong snap rails
- Sprung, three-part, heavy-duty bungee pole
- Wind speed if pegged 18-24mph/29-38kph
- Wind speed if unpegged 4-7mph/6-11kph.

Total hardware dimensions (approx):

2080 (h) X 900 (w) X 820 (d) mm

Standard graphic height (approx):

2025 mm



A




B



C



D



Optional bag available:
AB140-C

A

Hurricane 2



800mm (w): UB700

- Single-sided or double-sided outdoor tension banner
- Graphics attached using self-adhesive slider rail
- Water-filled base, holds up to 28 litres
- Two spring-loaded poles for extra wind resistance
- Wind speed 13-18 mph/21-29kph.

Total hardware dimensions (approx):

2210 (h) x 800 (w) x 790 (d) mm

Standard graphic height (approx):

1960mm

B

Cyclone 2



800mm (w): UB702

- Outdoor roller banner with plastic base water tank, plus handle for easy portability
- Twist out foot for extra stability
- 800mm double-sided graphic
- Twin hybrid poles.

Total hardware dimensions (approx):

2190 (h) x 1005 (w) x 520 (d) mm

Visible graphic area (approx):

2010 (h) x 800 (w) mm

C

Storm Hydro 2



800mm (w): UB209

- Single-sided or double-sided indoor/outdoor banner
- Weather-resistant
- Moulded plastic base for water or sand weighting
- Wind speed 10-12mph/16-19kph.

Total hardware dimensions (approx):

2135 (h) x 813 (w) x 533 (d) mm

Standard graphic height (approx):

1800mm

D

Blizzard



800mm (w): UB701-C

- Stylish design with hollow plastic base for water, or sand-weighting
- Telescopic pole for adjustable height
- Adjustable rail for variable graphic dimensions of 600mm - 800mm (w) to 1500mm - 2000mm (h)
- Wind speed 13-18 mph/21-29kph.

Total hardware dimensions (approx):

2210 (h) x 800 (w) x 540 (d) mm

Standard graphic height (approx):

2000mm



Height adjustable up to 4.8m² per side



A Horizon GRAND FORN RECYCLED ONE YEAR

2500mm (w): UB203

- Single-sided or double-sided banner system featuring a telescopic pole with bungee for adjustable height giving up to 4.8m² per side
- Individual units can be joined together to form a wall with hollow feet for water or sand-weighting
- Wind speed 10-12mph/16-19kph.

Total hardware dimensions (approx): **Adjustable graphic height (approx):**

Base tank dimensions: 800mm x 240mm 1500-2400mm



B Stowaway RECYCLED ONE YEAR CARRY BAG

1400mm (w): UB736-03 / 1700mm (w): UB736-02 / 2000mm (w): UB736-01

- Easily portable and visual impact display stand
- Supplied with carry bag and ground pegs
- Spring fibreglass poles pack away into a small carry bag.

Total hardware dimensions (approx): **Visible graphic area (approx):**

700 (h) x 1420 (w) x 400-480 (d) mm 650 (h) x 1326 (w) mm

850 (h) x 1720 (w) x 400-480 (d) mm 800 (h) x 1602 (w) mm

1000 (h) x 2020 (w) x 400-480 (d) mm 950 (h) x 1894.5 (w) mm

C Monsoon 2, Mini Monsoon 2 and Wall Monsoon RECYCLED ONE YEAR

1250mm (w): UB708-C / 2500mm (w): UB707-C / 3000mm (w): UB711-C

- Choose from three double-sided A-frame banners suitable for outdoor or indoor use
- Easy, push-fit assembly with plastic flush-fit joining, no tools necessary
- Graphic secured with adjustable looped elastics and supplied with guy peg kit and bag
- Wind speed 18-24mph/29-38kph.

Total hardware dimensions (approx): **Visible graphic area (approx):**

1250 (h) x 1250 (w) mm 1090 (h) x 1090 (w) mm

1000 (h) x 2500 (w) mm 840 (h) x 2340 (w) mm

1250 (h) x 3000 (w) mm 1090 (h) x 2840 (w) mm

Top tip!
We have specially-designed banners for outdoor use. Choose from single-sided or double-sided, large-format or A-frame styles.

Sign boards

A **ONE YEAR**



B **ONE YEAR**



C **ONE YEAR**



D **ONE YEAR**



E **ONE YEAR**



F **ONE YEAR**



G **ONE YEAR**



H **ONE YEAR**



Sign boards

A Whirlwind

UB207 / UB207-A0 / UB207-B1 / UB207-B2

- Heavy-duty double-sided outdoor swing sign, ideal for pavement advertising
- Nylon protective skirts.

Available sizes:

A0 / A2 / B1 / B2

B A-Sign Board

VF204-C / VF204-A2 / VF204-B2

- Double-sided snap frame suitable for A1, A2 and B2 size posters.

Available sizes:

A1 / A2 / B0 / B1 / B2

C Shield

Curved UB108 with panel / UB108B base-only

Arched UB109 with panel / UB108B base-only

- Ideal pavement advertiser, can be used indoors and outdoors
- Replaceable panels available.

Total hardware dimensions (approx):

800 (h) x 465 (w) x 450 (d) mm

Visible graphic area (approx):

Arched: 795 (h) x 410 (w) x 1.2 (d) mm

Curved: 765 (h) x 410 (w) x 1.2 (d) mm

D Metal Sign Board

VF206-B2

- Large B2 metal A-sign for indoor, or outdoor use
- Use self-adhesive graphics or magnetic tape on the metal frame
- Ideal as pavement advertiser, or outside shops and restaurants.

Total hardware dimensions (approx):

Open: 1200 (h) x 575 (w) x 850 (d) mm

Closed: 1245 (h) x 575 (w) x 65 (d) mm

Visible graphic area (approx):

Top arc: 275 (h) x 500 (w) mm

Main section: 740 (h) x 520 (w) mm

E Rok

UB104

- Single-sided or double-sided sign, ideal for signposting, directional display and outdoor events.

Total hardware dimensions (approx):

130 (h) x 120 (w) x 400 (d) mm

Visible graphic area (approx):

Foamex: 900 (h) x 600 (w) mm

MDF: 1200 (h) x 800 (w) mm

F Sign Board Lite

VF205

- Durable high-impact PVC
- Large graphic area ideal for self-adhesive, cut vinyl graphics
- Easy-to-use and cost-effective.

Total hardware dimensions (approx):

750 (h) x 500 (w) x 380 (d) mm

G Trojan Directional Sign

SP-TRO

- Free-standing portable and linkable information unit
- Hollow base can be weighted with water or sand
- Supplied flat-packed in 3 pieces.

Total hardware dimensions (approx):

1200 (h) X 380 (w) mm

Visible graphic area (approx):

380 (h) x 330 (w) mm

H Limpit Portable 'PoS'

SP-LIM

- Repositionable, 10mm thick promoter unit with suction cup system for use on smooth surfaces, metal roofs or glass windows.

Total hardware dimensions (approx):

Suction cup: 120mm diameter.

Visible graphic area (approx):

Variable

Sign boards

A Liquid Chalk Board



VF201 Medium / VF201-01 Large

- Traditional and functional A-sign board, available in two sizes and can be used indoors and outdoors, with optional Liquid Chalk Pens (available separately, see below).

Total hardware dimensions (approx):

Med.: 825 (h) x 553 (w) x 525 (d) mm

Large: 1316 (h) x 663 (w) x 720 (d) mm

Visible graphic area (approx):

Med.: 670 (h) x 470 (w) mm

Large: 1000 (h) x 570 (w) mm

B Liquid Chalk Pens

VF201-P

- Pack of 4 coloured liquid chalk pens, approx. 4mm tip
- Colours include: red, yellow, green and white
- Use with Liquid Chalk Board, wipes clean with a dry cloth.



Wind Dancer 4m, page 12

Formulate+Rectangle, page 4

Formulate+Feather, page 4

A



A



Rail:
UB215-1000
UB215-1500
UB215-2000



Post:
UB215P




Base:
UB215B

Recommend using top and bottom rails

Top tip!
Whatever your budget, we have a café barrier to suit all pockets.

Café barrier and leader rope systems offer a great way to organise groups of people in a stylish and effective way!



B



Rail:
UB214-1000
UB214-1500
UB214-2000



Post: UB214P
Base: UB214B
Spring Clips: UB214-SC



C



Post top in black



Black or silver base available

A Deluxe Café Barrier

UB215

- Smart way for defining areas outside restaurants, bars and nightclubs
- Heavyweight stainless steel post and concrete base
- Sold as individual components
- Low-cost Basics option available (see below product SP911).

Total hardware dimensions (approx):	Visible graphic area (approx):
Rail: 1440/1940/2440mm	1000mm: 775 (h) x 850 (w) mm
Post: 960mm (h)	1500mm: 775 (h) x 1350 (w) mm
Base: 360mm (diameter)	2000mm: 775 (h) x 1850 (w) mm

B Standard Café Barrier

UB214

- Ideal way of defining areas outside restaurants, bars and shopping centres
- Heavyweight black post and concrete base
- Graphic attached with spring rail, or clips at the bottom
- Sold as individual components.

Total hardware dimensions (approx):	Visible graphic area (approx):
Rail: 1440mm	1000mm: 675 (h) x 850 (w) mm
Post: 960mm (h)	1500mm: 675 (h) x 1350 (w) mm
Base: 360mm (diameter)	2000mm: 675 (h) x 1850 (w) mm

C Basics Café Barrier

SP-911 / Rail: SP-214-1500 / Base: SP-913


- Strong, durable indoor exhibition and event queue-guidance system
- Rope available in red, burgundy, blue or black and two sizes 1000mm/1500mm
- Metal work in a smooth black or chrome powder-finish.

Total hardware dimensions (approx):	Visible graphic area (approx):
Rail: 1500mm	1500mm: 675 (h) x 1350 (w) mm
Post: 950mm (h)	
Base: 350mm (diameter)	



*Printed graphic panels extra



Retractable webbing cassette



Black, blue, or red ropes with silver clips

A Leader Rope & Post  

Post: LB908 / Post: LB911 / Base: LB91

- Strong, durable indoor exhibition and event queue guidance system
- Rope available in red, burgundy, blue or black and two sizes 1000mm/1500mm
- Metal work in a smooth black or silver powder-coated finish.


Total hardware dimensions (approx):

Post: 950mm

Rope: 1000/1500mm

Base: 350mm (diameter)

For indoor use only

B Leader Plus  

LB801/LB802

- Leader Plus is a smart retractable barrier system, ideal for indoor use in areas such as retail outlets, airports and entertainment venues
- Each post is available in chrome or black and can be connected to additional barriers to create customised configurations to any length
- Webbing retracts into post unit with anti-tamper tape ends
- Low cost Basics option available.

Total hardware dimensions (approx):

Post: 10mm (h)

Rope: 2000mm

Base: 360mm (diameter)

C Basics Leader  

Post: SP-801 / Belt: SP-803 / Base: SP-913

- Basics range for retractable barrier system, ideal for use in retail outlets and airports
- Posts available in black or silver
- Retractable webbing available in black, grey or red.

Total hardware dimensions (approx):

Post: 910mm (h)

Belt: 2000mm

Base: 350mm (diameter)

For indoor use only

D Basics Leader Rope & Pole  

Post: SP-911 / Rope: SP-907 / Base: SP-913

- Economy range of event and exhibition queue guidance system
- 1500mm rope available in black, blue, or red with either connector or hooks in silver
- Posts and bases available in silver or black.

Total hardware dimensions (approx):

Post: 950mm (h)

Rope: 1000/1500mm

Base: 350mm (diameter)

For indoor use only

Top tip!

The optional canopy and sides can be printed in full colour.

If you're looking to promote your message in an outdoor environment, then a tent kit may be just the ticket! Ideal for outdoor events, no matter the weather, they can be customised to meet your requirements. Complete the look with your own printed design - ask about our specialist tent printing.

Zoom Tent

ONE YEAR

2x2m: ZT22-XAF / 3x4.5m: ZT345-XAF

3x3m: ZT33-XAF

- Zoom Tent includes frame, ground pegs, 3.5m guy ropes and wheeled bag
- Quick and easy to assemble and can shade plenty of people
- Available options include: Canopy, full-wall, half-wall with tube and clamp, weighted disc, printing
- Available in four colours black, blue, white and red
- Wind resistant to speeds of 29-38mph/18-24kph.



Wheeled bag, ground pegs and cord stays come as standard (Bale weight: 19kg)



Optional canopy

Optional full-wall and half-wall

Top tip!

Ask your dealer about printing on canopy, roof, back, or side walls!



Optional 8kg base for Zoom Tent and Zoom Double Tent Kit



Wheeled bag, frame, ground pegs and cord stays come as standard

Zoom Double Tent kit

ONE YEAR

ZT36-XAF

- Zoom Double Tent kit 3x6m includes frame, ground pegs, 3.5m guy ropes and wheeled-bag
- Quick and easy to assemble and can shade plenty of people
- Available options include: Canopy, full-wall, half-wall with tube and clamp, weighted-disc, printing
- Available in four colours black, blue, white and red
- Wind-resistant to speeds of 29-38mph/18-24kph.

Optional canopy, full or half-wall



Tents and counters



Top tip!
Outdoor counters are a great way to welcome guests to your event.

Optional carry bags:



Tornado Base and Top Bag: AB187
Tornado Wrap Bag: AB187

Both bags are required for the Tornado!

A Tornado

- PK410**
- Constructed from moulded plastic and PVC tambour
 - Moulded top with pen recess and water drainage notches
 - Hollow base for water or sand weighting plus tambour wrap included, printing optional
 - Suitable for indoor and outdoor use.

Total hardware dimensions (approx):

1040 (h) x 850 (w) x 500 (d) mm
PVC wrap: 900 (h) x 2070 (w) mm
Header: 250 (h) x 600 (w)

Visible graphic area (approx):

Code:	
Base: 872 (h) x 950 (w) mm	PK410
Header: 250 (h) x 675 (w) mm	PK411

B Counta

- PC607**
- Portable and cost-effective indoor demonstrator unit
 - Rigid header-panel, shelf and twin supporting poles
 - Graphics can be applied as vinyl, or screen-print directly onto the plastic base wrap
 - Indoor use only.

Total hardware dimensions (approx):

Base: 850 (h) x 810 (w) x 470 (d) mm
Header: 285 (h) x 775 (w)

Visible graphic area (approx):

Code	
Base: 770 (h) x 816 (w) mm	PC607
Header: 280 (h) x 770 (w) mm	

C Counta Lite

- PC607**
- Similar to Counta, but with slimmer counter profiles, no mid-shelf, tops and bottoms are stackable
 - Counter wrap is pre-scored to fold neatly for storage.

Total hardware dimensions (approx):

Base: 830 (h) x 490 (w) x 450 (d) mm
Header: 300 (h) x 780 (w) mm

Understanding printed media

Printing and finishing outdoor products

Specialist printing and finishing skills are required on most outdoor products, especially flags.

We offer a wide range of printing, cutting and finishing techniques to include UV, Dye-sub and latex printing plus digital cutters and expert sewing machinists to give a top-class professional finish.

Whether it's one flag or 100 outdoor banners - no job is too small or too big and turnaround is very fast with quick and reliable delivery.

If you are able to plan ahead you can make impressive savings on the cost of your printing, ask your local dealer for details.



Dye-sub and UV printing



Laser-cutting



Finishing

There is a wide range of printed media available to suit different applications. Here are some explanations of the more popular types of media. See below, or ask your dealer for more information.

- Economy Banner PVC: Ideal for short-term, frequently-changing presentations and outdoor banners
- Standard Banner Polyester/Hybrid: A durable substrate that retains its shape, ideal for mobile presentations and also for more permanent displays, 80% stop-light
- Premium Banner Polyester: High-white giving excellent colour definition. Ideal for semi-permanent displays where a premium finish is required, 90% stop-light
- Pop-Up PVC: PVC 550 micron, UV-cure printed, suitable for indoor use
- Standard Flag Knit: 115g Polyester, textile fabric dye- sublimation printed, suitable for outdoor and indoor use
- Flag mesh: 110gm textile fabric, ideal for outdoor flags
- Display Polyester: 210g textile fabric, dye-sublimation printed, suitable for outdoor and indoor use.

Guarantee

All products are covered by a manufacturer's guarantee against component failure and defects. All our Outdoor products are covered by a one-year guarantee.

We are continually improving and modifying our product range and reserve the right to remove products or vary the specifications without prior notice. All dimensions state height first. All dimensions, graphic information and any weights quoted are approximate and should be used as a guide only.

We accept no responsibility for variance. E&OE



IMAGE DISPLAY

www.imagedisplay.co.uk

sales@imagedisplay.co.uk