
Wall mounted (Landscape)








Wall mounted (Landscape)

| | 600mm | | I 000mm | | - |
|-------|--|------------|---------|---|-----|
| 100 | | | | | |
| 100mm | | | | 100 M | |
| | W100L-600 | W100L-1000 | | I. | |
| | | | | | |
| 150mm | | - | | | m |
| | WI 50L-600 | W150L-1000 | | | |
| | | | | | |
| | | | | | |
| 200mm | | | | | |
| | | | | | |
| | W200L-600 | W200L-1000 | | | 1 |
| | | | | 10 | 1 |
| | The signs on these pages accept a one-piec | re clear | | | A |
| | cover which has an anti-glare finish on one reduce reflection. This cover can be revers | side to | | | |
| | required. | eu II | | | |
| | All signs accept digital images, vinyl text or s | screen | p | | |
| | printed inserts. | | | | |
| | Signs in the W60 to W300 range are suppl plastic end caps (black). Metal end caps are | | | | |
| | for these ranges at additional cost. | | 2 | | |
| | The W400 & W600 range include metal e | nd caps as | | | |
| | standard. | | | | |
| | Standard finish for all signs - clear anodised aluminium. | | 0 | | |
| | Standard finish on wall brackets - black pov coated | vder | | | 100 |
| | Bespoke sizes available. | | | | |
| | | | | | |
| | | | | | |

Wall mounted (Portrait)



Wall mounted (Portrait)

IMAGE DISPLAY

400mm

97.5mm

147mm

196mm

297mm

396.5mm

597 5mm

W400P-297

600mm

W600P-97.5

W600P-147

W600P-196

For Quotes and Info email us at: sales@imagedisplay.co.uk www.imagedisplay.co.uk

All the signs on these pages accept a one-piece PET, or one-piece polycarbonate, clear cover which has an anti-glare finish on one side to reduce reflection. This cover can be reversed if required.

Boxed signs are supplied finished and ready to accept your digital images, vinyl text or screen printed inserts.

All signs accept digital images, vinyl text or screen printed inserts.

Signs in the W60 to W300 range are supplied with plastic end caps (black). Metal end caps are available for these ranges at additional cost.

The W400 & W600 range include metal end caps as standard.

Boxed & Ready signs are cut to size, have predrilled holes for door or wall mounting and are supplied fully assembled.

Standard finish on wall brackets - black powder coated

Standard finish for all signs - clear anodised aluminium.


Bespoke sizes available.

W400P-597.5

W600P-<u>597.5</u>


Directories - Overview

FOR DETAILED DIMENSIONS AND SPECIFICATIONS SEE PRODUCT PAGES D200 - D600




See product pages D200 -D600 for more details.


Directories - Overview




Directories



D200




D-A4




| | | | D300 |
|--|---|--|--|
| | | Image: Sector | |
| 300mm | 57.5mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 669mm | 300mm | 300mm |
| 300mm | | D300-4 | 00-7 |
| 469mm | 36mm 36mm 57.5mm 36mm 487mm | 300mm | 300mm |
| D300-2 300mm | | 136mm 36mm | 1 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm 36mm |
| 569mm | 36mm 36mm 36mm 57.5mm 36mm 36mm 36mm 57.5mm | 300mm | 136mm 36mm 36mm 36mm 36mm |
| | 36mm 530mm 36mm 36mm 36mm 36mm | Image: state | |
| Standard finish for all signs - clear anodised aluminium. Divider Strip - standard colour - Black Other colours available at no extra cost: | | D300-6 | |
| Blue, Grey, Red, Yellow (Please specify whe ordering.) Bespoke sizes available. | | | |


D400



D600




Projecting (Portrait)




P300P-420-SS


DOUBLE SIDED



Projecting (Landscape)




Suspended



Suspended

| | | | | | | Ť | • • • • • • • • • • • • • • • • • • • | Ť |
|---|--------------------------------------|--|----------------------------------|-----------------|------------------------|------|---------------------------------------|--------|
| | | | | | Suits A4 | | Suits A3 | |
| † 200mm | | | | | † 215mm | | t | |
| | _ | _ | _ | | ↓ | | 300mm ↓ | |
| S200-1000-1 | | | | | S-A4297-1 | | | |
| | | | | | | | S300-420-1 | |
| | | | | | | 150r | nm | |
| | | | | | Suits A4 | | 14 | 1000 N |
| † 200mm ↓ | | | | | † 215mm | | (F | Stor 1 |
| | | | | | | | A. | - X |
| | | | | | | | J | All |
| _ | _ | _ | _ | | | | 1 | 1000 |
| S200-1000-2 | | | | | S-A4297-2 | | | |
| | | | | | | | -76.0 | |
| | | | | | | | 10 | |
| Y | | | | | | | | T |
| | | | | | | | 750 | - |
| | | | | | | | | |
| | on these pages a educe reflection | | | | s an anti-glare finish | on | | |
| All signs accep | ot digital images | , vinyl text or so | creen printe | d inserts. | | | 1. 1816 | |
| | | | | | | | R.R. | 1 |
| All suspended | | | lard (black) | Metal end ca | os are available at | | | 1 ar |
| | clude plastic er | | | i rotai orra ca | po al o avallable at | | | 1 |
| These signs ir | nclude plastic er it. | ia caps as staric | | | | | | |
| All suspended These signs ir additional cos Standard Cab | it. vle lengths: | One Level | 0.80m (; | | 1 | | 1 | 11 |
| These signs ir additional cos | it. ole lengths: | One Level Two levels Three levels | l .00m (; l .25m (; | ×2) ×2) | | | | M |
| These signs ir additional cos Standard Cab | it. ole lengths: | One Level Two levels Three levels Four levels | I.00m (; | ×2) ×2) | | | | M |
| These signs ir additional cos Standard Cab Longer cables | it. ole lengths: | One Level Two levels Three levels Four levels Trequired. | 1.00m (; 1.25m (; 1.25m (; | ×2) ×2) | | | | |

Monolith



Monolith

